

## FD30 DOOR OPTIONS

# VICAIMA RANGE

### MD55 EMBOSSED COTTAGE STYLE

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- Approved Handle: Surface mounted or bolt through pull handles.\*\* Firenze Pull Handle Back-to-Back
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### ESSENTIAL FLUSH VERTICAL

- Suitable for use with Classic FD30 Single Pocket Door Systems ONLY.
- Heritage Oak; Oak; Ash; Walnut; Sapele; Steamed Beech; Maple; Eucalyptus; Koto
- Sizes\*: See [product](#) on Vicaima website
- Approved Handle: Surface mounted or bolt through pull handles.\*\* Firenze Pull Handle Back-to-Back
- Max Size as per Figure B01 in KIWA Field of Application PAR/10057/01

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### ESSENTIAL FLUSH HORIZONTAL

- Suitable for use with Classic FD30 Single Pocket Door Systems ONLY.
- Heritage Oak; Oak; Ash; Walnut; Sapele; Steamed Beech; Maple
- Sizes\*: See [product](#) on Vicaima website
- Approved Handle: Surface mounted or bolt through pull handles.\*\* Firenze Pull Handle Back-to-Back
- Max Size as per Figure B01 in KIWA Field of Application PAR/10057/01

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### ESSENTIAL PLAIN COLOURS

- Suitable for use with Classic FD30 Single Pocket Door Systems ONLY.
- Plain Colours
- Sizes\*: See [product](#) on Vicaima website
- Approved Handle: Surface mounted or bolt through pull handles.\*\* Firenze Pull Handle Back-to-Back
- Max Size as per Figure B01 in KIWA Field of Application PAR/10057/01

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



## FD30 DOOR OPTIONS

# VICAIMA RANGE


### VICAIMA ENTIRE RANGE OF FD30 44MM FLUSH DOORS

INCLUDING WITH GLAZING AS PER REVISION

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- Vicaima entire range of FD30 44mm flush doors including with glazing as per Revision.
- Interior Door Selector 2025
- Approved Handle: Firenze Pull Handle Back-to-Back
- \*Glazed door options are available. Please check specific door model to confirm whether glazing is permitted. Refer to KIWA Field of Application PAR/10057/01 Rev G for permitted glazing types and sizes.
- Max Size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



# FD30 DOOR OPTIONS

## JELD-WEN RANGE

### ARLINGTON 6 PANEL

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Primed
- Sizes\*: See [product](#) on JELD-WEN website
- Retail Outlets: Many online door retailers
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.\*\*
- Max Size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### ATHERTON 4 PANEL

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Primed
- Sizes\*: See [product](#) on JELD-WEN website
- Retail Outlets: Many online door retailers. Howdens ref "Donnington"
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.\*\*
- Max Size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### BOSTONIAN 6 PANEL

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Primed
- Sizes\*: See [product](#) on JELD-WEN website
- Retail Outlets: Many online door retailers. Howdens ref "Colonial"
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.\*\*
- Max Size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### LINEA PANEL

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Primed
- Sizes\*: See [product](#) on JELD-WEN website
- Retail Outlets: Many online door retailers. Howdens ref "Metro"
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.\*\*
- Max Size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



# FD30 DOOR OPTIONS

# JELD-WEN RANGE

## OAKFIELD 4 PANEL

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Primed
- Sizes\*: See [product](#) on JELD-WEN website
- Retail Outlets: Many online door retailers. Howdens ref "Thruyton"
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.\*\*
- Max Size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



## NEWARK COTTAGE

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Primed
- Sizes\*: See [product](#) on JELD-WEN website
- Retail Outlets: Many online door retailers.
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.\*\*
- Max Size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



## OREGON COTTAGE HORIZONTAL

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Oak
- Sizes\*: See [product](#) on JELD-WEN website
- Retail Outlets: Many online door retailers.
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.\*\*
- Max Size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



## OREGON COTTAGE VERTICAL

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Oak
- Sizes\*: See [product](#) on JELD-WEN website
- Retail Outlets: Many online door retailers.
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.\*\*
- Max Size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



## FD30 DOOR OPTIONS

# JELD-WEN RANGE

### OREGON 4 PANEL

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Oak
- Sizes\*: See [product](#) on JELD-WEN website
- Retail Outlets: Many online door retailers.
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.\*\*
- Max Size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### PAINT GRADE PREMIUM

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Primed
- Sizes\*: See [product](#) on JELD-WEN website
- Retail Outlets: Many online door retailers. Howdens ref "Spay White"
- Approved Handle: Surface mounted or bolt through pull handles.\*\* Firenze Pull Handle Back-to-Back.
- Max Size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



## FD30 DOOR OPTIONS

# XL JOINERY RANGE

### PALERMO ESSENTIAL

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- Prefinished Oak or Unfinished (Range of colours are available)
- Sizes\*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.\*\*
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### PALERMO ORIGINAL

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- Prefinished Oak or Unfinished Oak (Range of colours are available)
- Sizes\*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers.
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.\*\*
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### PALERMO LAMINATE

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- Prefinished White Grey and Prefinished Umber Grey
- Sizes\*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers.
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.\*\*
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### PALERMO WHITE PRIMED

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Primed (Range of colours are available)
- Sizes\*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers.
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.\*\*
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



## FD30 DOOR OPTIONS

# XL JOINERY RANGE

### SALERNO

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- Prefinished Oak or Unfinished Oak (Range of colours are available)
- Sizes\*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.\*\*
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### SALERNO LAMINATE

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- Prefinished White Grey and Prefinished Umber Grey
- Sizes\*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers.
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.\*\*
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### SALERNO WHITE PRIMED

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Primed (Range of colours are available)
- Sizes\*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers.
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.\*\*
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### RAVENA

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- Unfinished Oak (Range of colours are available)
- Sizes\*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers.
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.\*\*
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



## FD30 DOOR OPTIONS

# XL JOINERY RANGE

### RAVENNA LAMINATE

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- Prefinished White Grey and Prefinished Umber Grey
- Sizes\*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.\*\*
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### FORLI

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- Prefinished Oak
- Sizes\*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.\*\*
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### FORLI LAMINATE

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- Prefinished White Grey and Prefinished Umber Grey and Prefinished White
- Sizes\*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.\*\*
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



# FD30 DOOR OPTIONS

## CLIMADOOR DOORS RANGE

### MEXICAN OAK

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- White Oak
- Sizes\*: See [product](#) on Vibrant website
- Retail Outlets: [www.climadoor.co.uk](http://www.climadoor.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back](#). Surface mounted or bolt through pull handles.\*\*
- Max size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### MEXICAN OAK PREFINISHED

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- White Oak
- Sizes\*: See [product](#) on Vibrant website
- Retail Outlets: [www.climadoor.co.uk](http://www.climadoor.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back](#). Surface mounted or bolt through pull handles.\*\*
- Max size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### ISEO OAK SOLID CORE PREFINISHED

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- Oak
- Sizes\*: See [product](#) on Climadoor website
- Retail Outlets: [www.climadoor.co.uk](http://www.climadoor.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back](#). Surface mounted or bolt through pull handles.\*\*
- Max size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### WHITE ISEO

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- White
- Sizes\*: See [product](#) on Climadoor website
- Retail Outlets: [www.climadoor.co.uk](http://www.climadoor.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back](#). Surface mounted or bolt through pull handles.\*\*
- Max size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



# FD30 DOOR OPTIONS

## CLIMADOOR DOORS RANGE

### SUFFOLK WHITE PREFINISHED

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- White
- Sizes\*: See [product](#) on Climadoor website
- Retail Outlets: [www.climadoor.co.uk](http://www.climadoor.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back](#). Surface mounted or bolt through pull handles.\*\*
- Max size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### ISEO BLACK OAK - PREFINISHED FIRE DOOR

- Suitable for use with Classic FD30 Single & Double Pocket Door Systems.
- Black
- Sizes\*: See [product](#) on Climadoor website
- Retail Outlets: [www.climadoor.co.uk](http://www.climadoor.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back](#)
- Max size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details




### WHITE FLUSH PREFINISHED FIRE DOOR

- Suitable for use with Classic FD30 Single & Double Pocket Door Systems.
- White
- Sizes\*: See [product](#) on Climadoor website
- Retail Outlets: [www.climadoor.co.uk](http://www.climadoor.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back](#)
- Max size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### FLUSH OAK PREFINISHED SOLID CORE FIRE DOOR

- Suitable for use with Classic FD30 Single & Double Pocket Door Systems.
- Oak
- Sizes\*: See [product](#) on Climadoor website
- Retail Outlets: [www.climadoor.co.uk](http://www.climadoor.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back](#)
- Max size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



# FD30 DOOR OPTIONS

## CLIMADOOR DOORS RANGE

### MODERN 7 PANEL OAK - PREFINISHED FIRE DOORS

- Suitable for use with Classic FD30 Single & Double Pocket Door Systems.
- Oak
- Sizes\*: See [product](#) on Climadoor website
- Retail Outlets: [www.climadoor.co.uk](http://www.climadoor.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### MODERN 7 PANEL WHITE PREFINISHED FIRE DOOR

- Suitable for use with Classic FD30 Single & Double Pocket Door Systems.
- White
- Sizes\*: See [product](#) on Climadoor website
- Retail Outlets: [www.climadoor.co.uk](http://www.climadoor.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### MODERN 7 PANEL WHITE PREFINISHED FIRE DOOR

- Suitable for use with Classic FD30 Single & Double Pocket Door Systems.
- Oak
- Sizes\*: See [product](#) on Climadoor website
- Retail Outlets: [www.climadoor.co.uk](http://www.climadoor.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max size: 926x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### OAK VICTORIAN 4 PANEL SHAKER FIRE DOOR

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- Oak
- Sizes\*: See [product](#) on Climadoor website
- Retail Outlets: [www.climadoor.co.uk](http://www.climadoor.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max size: 838x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



# FD30 DOOR OPTIONS

## CLIMADOOR DOORS RANGE

### WHITE VICTORIAN 4 PANEL SHAKER PREFINISHED FIRE DOOR

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- White
- Sizes\*: See [product](#) on Climadoor website
- Retail Outlets: [www.climadoor.co.uk](http://www.climadoor.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max Size: 838x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### WHITE DX30 DOOR

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- White
- Sizes\*: See [product](#) on Vibrant Doors website
- Retail Outlets: [www.vibrantdoors.co.uk](http://www.vibrantdoors.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max Size: 838x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### OAK DX30 DOOR

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- Oak
- Sizes\*: See [product](#) on Vibrant Doors website
- Retail Outlets: [www.vibrantdoors.co.uk](http://www.vibrantdoors.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max Size: 838x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### MODERN WHITE SHAKER 2 PANEL PREFINISHED FIRE DOOR

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- White
- Sizes\*: See [product](#) on Climadoor website
- Retail Outlets: [www.climadoor.co.uk](http://www.climadoor.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max Size: 838x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



# FD30 DOOR OPTIONS

## CLIMADOOR DOORS RANGE

### WHITE SHAKER 4 PANEL FIRE DOOR

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- White
- Sizes\*: See [product](#) on Climadoor website
- Retail Outlets: [www.climadoor.co.uk](http://www.climadoor.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max Size: 838x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### OAK SHAKER 4 PANEL FIRE DOOR

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- Oak
- Sizes\*: See [product](#) on Climadoor website
- Retail Outlets: [www.climadoor.co.uk](http://www.climadoor.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max Size: 838x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### HERITAGE BLACK 3 PANEL FIRE DOOR

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- Black
- Sizes\*: See [product](#) on Climadoor website
- Retail Outlets: [www.climadoor.co.uk](http://www.climadoor.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max Size: 838x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



### GRANGE 2 PANEL WHITE PREFINISHED FIRE DOOR

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- White
- Sizes\*: See [product](#) on Climadoor website
- Retail Outlets: [www.climadoor.co.uk](http://www.climadoor.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max Size: 838x2040mm

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details



## FD30 DOOR OPTIONS

# CLIMADOOR DOORS RANGE

### TRADITIONAL VICTORIAN OAK 4 PANEL FIRE DOOR

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- Oak
- Sizes\*: See [product](#) on Climadoor website
- Retail Outlets: [www.climadoor.co.uk](http://www.climadoor.co.uk)
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max Size: 838x2040mm

**\*please double check with retail outlet for size availability before purchasing ECLISSE System**

**\*\*See field of application report for details**



## FD30 DOOR OPTIONS

# EMERALD DOORS RANGE

### EMERALDS DOORS WITH GLAZING AS PER REVISION G

#### BESPOKE FD30 DOOR LEAVES

- Suitable for use with Classic FD30 Single & Double Pocket Door Systems.
- Emerald bespoke FD30 door leaves as per Revision G.
- Approved Handle: Firenze Pull Handle Back-to-Back
- \*Glazed door options are available. Please check specific door model to confirm whether glazing is permitted. Refer to KIWA Field of Application PAR/10057/01 Rev G for permitted glazing types and sizes.
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details

**EMERALD**  
DOORS

## FD30 DOOR OPTIONS

# MBP BESPOKE FIRE DOORS

### MBP DOOR SOLUTIONS FC44

#### MBP BESPOKE FIRE DOORS WITH AND WITHOUT GLAZING

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- MBP bespoke FD30 door leaves as per Revision G.
- Approved Handle: Firenze Pull Handle Back-to-Back
- \*Glazed door options are available. Please check specific door model to confirm whether glazing is permitted. Refer to KIWA Field of Application PAR/10057/01 Rev G for permitted glazing types and sizes.
- Max Size as per Figure B01 in KIWA Field of Application PAR/10057/01

\*please double check with retail outlet for size availability before purchasing ECLISSE System

\*\*See field of application report for details

**MBP**  
Door Solutions